

## GAI

### GAI SERIES TECHNICAL PRECISION "TOP-LOADING" SCALE



Multifunctional high precision scales, suitable for laboratory, industrial use, jewelry and pawn shops and cash for gold shops. Available also CE-M APPROVED for legal for trade use.

---

**DIVISION (g):** 0.001 and 0.01.

**CAPACITY (g):** 420, 620, 2200, 4200, 6200.

---

Working in cooperation with:

**MAXIMUS SCALES NEW ZEALAND LTD**

HYLAND CRESCENT 17 - 3015 - ROTORUA - NEW ZEALAND

Tel. +6427 273 6864

[jamie.bartlett@maximus-scales.co.nz](mailto:jamie.bartlett@maximus-scales.co.nz)

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Backlit LCD display with 7 digits 16.5mm high.
- Waterproof membrane keypad, with 5 keys.
- Construction: bearing structure in die cast aluminium, ABS case.
- Weight detection through tuning fork system.
- Stainless steel plate, size:
  - GAI420N and GAI620N models Ø 118mm
  - GAI2200N, GAI4200N, GAI6200N models 180x160mm.
- Winscreen (on GAI420N and GAI620N models), level, adjustable feet.
- Power supply: standard fitte with 230 Vac power adapter.
- Operating temperature +5°C...+35°C, non-condensing relative humidity 80%.
- RS232/c port for connection to PC, 3590EGT series indicator or printer.
- Internal calibration (except GAI6200N).
- Upon request:
  - ACCREDIA calibration with issuing of relative certificate;
  - CE-M approval;
  - weigh-below hook.

## FUNCTIONS

- counting;
- % weight;
- conversion units of measure:
  - Standard versions, not approved: g, kg, ct, oz, lb, ozt, dwt;
  - CM versions, approved: g, kg, ct (only available at time of scale's order);
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration.

## DETAIL 1



Technical high precision laboratory scale GAI2200N/GAI4200N.

## VERSIONS

### Available versions

Codice	Classe	Piatto Max (mm)	Max (g)	d (g)	<b>M</b> (g)*	Linearità (g) +/-	Ripetibilità (g)
GAI420N	II	Ø 118 mm	420	0,001	0,01	0,001	0,001
GAI620N	I	Ø 118 mm	620	0,001	0,01	0,002	0,001
GAI2200N	II	180x160 mm	2200	0,01	0,1	0,01	0,01
GAI4200N	II	180x160 mm	4200	0,01	0,1	0,01	0,01
GAI6200N	I	180x160 mm	6200	0,01	0,1	0,02	0,01

(\*) CE-M divisions are obtainable only with the relative options.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano - Modena - Italy  
Tel. +39.0536 843418

**MAXIMUS SCALES NEW ZEALAND LTD**

HYLAND CRESCENT 17 - 3015 - ROTORUA - NEW ZEALAND

Tel. +6427 273 6864

[jamie.bartlett@maximus-scales.co.nz](mailto:jamie.bartlett@maximus-scales.co.nz)

SALES AND TECHNICAL ASSISTANCE SERVICE